


# WC-2 倍 快速钻


# WC-2 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-28 W	14.0	28	106	25	56	WCGX030208	M2.5X6L	T8
C25-D14.5-29 W	14.5	29	108	25	56	WCGX030208	M2.5X6L	T8
C25-D15-30 W	15.0	30	108	25	56	WCGX030208	M2.5X6L	T8
C25-D15.5-31 W	15.5	31	109	25	56	WCGX030208	M2.5X6L	T8
C25-D16-32 W	16.0	32	110	25	56	WCGX030208	M2.5X6L	T8
C25-D16.5-33 W	16.5	33	111	25	56	WCGX030208	M2.5X6L	T8
C25-D17-34 W	17.0	34	112	25	56	WCGX030208	M2.5X6L	T8
C25-D17.5-35 W	17.5	35	113	25	56	WCGX030208	M2.5X6L	T8
C25-D18-36 W	18.0	36	114	25	56	WCGX030208	M2.5X6L	T8
C25-D18.5-37 W	18.5	37	115	25	56	WCGX030208	M2.5X6L	T8
C25-D19-38 W	19.0	38	116	25	56	WCGX030208	M2.5X6L	T8
C25-D19.5-39 W	19.5	39	117	25	56	WCGX030208	M2.5X6L	T8
C25-D20-40 W	20.0	40	118	25	56	WCGX040208	M2.5X6L	T8
C25-D20.5-41 W	20.5	41	119	25	56	WCGX040208	M2.5X6L	T8
C25-D21-42 W	21.0	42	120	25	56	WCGX040208	M2.5X6L	T8
C25-D21.5-43 W	21.5	43	121	25	56	WCGX040208	M2.5X6L	T8
C25-D22-44 W	22.0	44	122	25	56	WCGX040208	M2.5X6L	T8
C25-D22.5-45 W	22.5	45	123	25	56	WCGX040208	M2.5X6L	T8
C25-D23-46 W	23.0	46	124	25	56	WCGX040208	M2.5X6L	T8
C25-D23.5-47 W	23.5	47	125	25	56	WCGX040208	M2.5X6L	T8
C25-D24-48 W	24.0	48	126	25	56	WCGX050308	M3X7L	T8
C25-D24.5-49 W	24.5	49	127	25	56	WCGX050308	M3X7L	T8
C32-D25-50 W	25.0	50	136	25	56	WCGX050308	M3X7L	T8
C32-D25.5-51 W	25.5	51	137	25	56	WCGX050308	M3X7L	T8
C32-D26-52 W	26.0	52	138	32	60	WCGX050308	M3X7L	T8
C32-D26.5-53 W	26.5	53	139	32	60	WCGX050308	M3X7L	T8
C32-D27-54 W	27.0	54	140	32	60	WCGX050308	M3X7L	T8
C32-D27.5-55 W	27.5	55	141	32	60	WCGX050308	M3X7L	T8
C32-D28-56 W	28.0	56	142	32	60	WCGX050308	M3X7L	T8
C32-D28.5-57 W	28.5	57	143	32	60	WCGX050308	M3X7L	T8
C32-D29-58 W	29.0	58	144	32	60	WCGX050308	M3X7L	T8
C32-D29.5-59 W	29.5	59	145	32	60	WCGX050308	M3X7L	T8
C32-D30-60 W	30.0	60	146	32	60	WCGX050308	M3X7L	T8
C32-D30.5-61 W	30.5	61	147	32	60	WCGX050308	M3X7L	T8
C32-D31-62 W	31.0	62	148	32	65	WCGX06T308	M3.5X10L	T15
C32-D31.5-63 W	31.5	63	149	32	65	WCGX06T308	M3.5X10L	T15
C32-D32-64 W	32.0	64	150	32	65	WCGX06T308	M3.5X10L	T15
C32-D32.5-65 W	32.5	65	151	32	65	WCGX06T308	M3.5X10L	T15
C32-D33-66 W	33.0	66	152	32	65	WCGX06T308	M3.5X10L	T15

# WC-2 倍 快速钻

# WC-2 Fast U-Drills




规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-67 W	33.5	67	153	32	65	WCGX06T308	M3.5X10L	T15
C32-D34-68 W	34.0	68	154	32	65	WCGX06T308	M3.5X10L	T15
C32-D35-70 W	35.0	70	156	32	65	WCGX06T308	M3.5X10L	T15
C32-D36-72 W	36.0	72	158	32	65	WCGX06T308	M3.5X10L	T15
C32-D37-74 W	37.0	74	160	32	60	WCGX06T308	M3.5X10L	T15
C32-D38-76 W	38.0	76	162	32	60	WCGX06T308	M3.5X10L	T15
C32-D39-78 W	39.0	78	164	32	60	WCGX06T308	M3.5X10L	T15
C32-D40-80 W	40.0	80	166	32	60	WCGX06T308	M3.5X10L	T15
C32-D41-82 W	41.0	82	168	32	60	WCGX06T308	M3.5X10L	T15
C32-D41.5-83 W	41.5	83	169	32	60	WCGX06T308	M3.5X10L	T15
C40-D42-84 W	42.0	84	181	32	60	WCGX080412	M4X10L	T15
C40-D43-86 W	43.0	86	183	40	65	WCGX080412	M4X10L	T15
C40-D44-88 W	44.0	88	185	40	65	WCGX080412	M4X10L	T15
C40-D45-90 W	45.0	90	187	40	65	WCGX080412	M4X10L	T15
C40-D46-92 W	46.0	92	189	40	65	WCGX080412	M4X10L	T15
C40-D47-94 W	47.0	94	191	40	65	WCGX080412	M4X10L	T15
C40-D48-96 W	48.0	96	193	40	65	WCGX080412	M4X10L	T15
C40-D49-98 W	49.0	98	195	40	65	WCGX080412	M4X10L	T15
C40-D50-100 W	50.0	100	197	40	65	WCGX080412	M4X10L	T15
C40-D51-102 W	51.0	102	199	40	65	WCGX080412	M4X10L	T15
C40-D52-104 W	52.0	104	201	40	65	WCGX080412	M4X10L	T15
C40-D53-106 W	53.0	106	203	40	65	WCGX080412	M4X10L	T15
C40-D54-108 W	54.0	108	205	40	65	WCGX080412	M4X10L	T15
C40-D55-110 W	55.0	110	207	40	65	WCGX080412	M4X10L	T15
C40-D56-112 W	56.0	112	209	40	65	WCGX080412	M4X10L	T15
C40-D57-114 W	57.0	114	211	40	65	WCGX080412	M4X10L	T15
C40-D58-116 W	58.0	116	213	40	65	WCGX06T308	M3.5X10L	T15
C40-D59-118 W	59.0	118	215	40	65	WCGX06T308	M3.5X10L	T15
C40-D60-120 W	60.0	120	217	40	65	WCGX06T308	M3.5X10L	T15
C40-D61-122 W	61.0	122	219	40	65	WCGX06T308	M3.5X10L	T15
C40-D62-124 W	62.0	124	221	40	65	WCGX06T308	M3.5X10L	T15
C40-D63-126 W	63.0	126	223	40	65	WCGX06T308	M3.5X10L	T15
C40-D64-128 W	64.0	128	225	40	65	WCGX06T308	M3.5X10L	T15
C40-D65-130 W	65.0	130	227	40	65	WCGX06T308	M3.5X10L	T15
C40-D66-132 W	66.0	132	229	40	65	WCGX06T308	M3.5X10L	T15
C40-D67-134 W	67.0	134	231	40	65	WCGX06T308	M3.5X10L	T15
C40-D68-136 W	68.0	136	233	40	65	WCGX06T308	M3.5X10L	T15
C40-D69-138 W	69.0	138	235	40	65	WCGX06T308	M3.5X10L	T15
C40-D70-140 W	70.0	140	237	40	65	WCGX06T308	M3.5X10L	T15

# WC-3 倍 快速钻




# WC-3 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-42 W	14.0	42	120	25	56	WCGX030208	M2.5X6L	T8
C25-D14.5-43.5 W	14.5	43.5	122.5	25	56	WCGX030208	M2.5X6L	T8
C25-D15-45 W	15.0	45	123	25	56	WCGX030208	M2.5X6L	T8
C25-D15.5-46.5 W	15.5	46.5	124.5	25	56	WCGX030208	M2.5X6L	T8
C25-D16-48 W	16.0	48	126	25	56	WCGX030208	M2.5X6L	T8
C25-D16.5-49.5 W	16.5	49.5	127.5	25	56	WCGX030208	M2.5X6L	T8
C25-D17-51 W	17.0	51	129	25	56	WCGX030208	M2.5X6L	T8
C25-D17.5-52.5 W	17.5	52.5	130.5	25	56	WCGX030208	M2.5X6L	T8
C25-D18-54 W	18.0	54	132	25	56	WCGX030208	M2.5X6L	T8
C25-D18.5-55.5 W	18.5	55.5	133.5	25	56	WCGX030208	M2.5X6L	T8
C25-D19-57 W	19.0	57	135	25	56	WCGX030208	M2.5X6L	T8
C25-D19.5-58.5 W	19.5	58.5	136.5	25	56	WCGX030208	M2.5X6L	T8
C25-D20-60 W	20.0	60	138	25	56	WCGX040208	M2.5X6L	T8
C25-D20.5-61.5 W	20.5	61.5	139.5	25	56	WCGX040208	M2.5X6L	T8
C25-D21-63 W	21.0	63	141	25	56	WCGX040208	M2.5X6L	T8
C25-D21.5-64.5 W	21.5	64.5	142.5	25	56	WCGX040208	M2.5X6L	T8
C25-D22-66 W	22.0	66	144	25	56	WCGX040208	M2.5X6L	T8
C25-D22.5-67.5 W	22.5	67.5	145.5	25	56	WCGX040208	M2.5X6L	T8
C25-D23-69 W	23.0	69	147	25	56	WCGX040208	M2.5X6L	T8
C25-D23.5-70.5 W	23.5	70.5	148.5	25	56	WCGX040208	M2.5X6L	T8
C25-D24-72 W	24.0	72	150	25	56	WCGX050308	M3X7L	T8
C25-D24.5-73.5 W	24.5	73.5	151.5	25	56	WCGX050308	M3X7L	T8
C32-D25-75 W	25.0	75	161	32	60	WCGX050308	M3X7L	T8
C32-D25.5-76.5 W	25.5	76.5	162.5	32	60	WCGX050308	M3X7L	T8
C32-D26-78 W	26.0	78	164	32	60	WCGX050308	M3X7L	T8
C32-D26.5-79.5 W	26.5	79.5	165.5	32	60	WCGX050308	M3X7L	T8
C32-D27-81 W	27.0	81	167	32	60	WCGX050308	M3X7L	T8
C32-D27.5-82.5 W	27.5	82.5	168.5	32	60	WCGX050308	M3X7L	T8
C32-D28-84 W	28.0	84	170	32	60	WCGX050308	M3X7L	T8
C32-D28.5-85.5 W	28.5	85.5	171.5	32	60	WCGX050308	M3X7L	T8
C32-D29-87 W	29.0	87	173	32	60	WCGX050308	M3X7L	T8
C32-D29.5-88.5 W	29.5	88.5	174.5	32	60	WCGX050308	M3X7L	T8
C32-D30-90 W	30.0	90	176	32	60	WCGX050308	M3X7L	T8
C32-D30.5-91.5 W	30.5	91.5	177.5	32	60	WCGX050308	M3X7L	T8
C32-D31-93 W	31.0	93	179	32	60	WCGX06T308	M3.5X10L	T15
C32-D31.5-94.5 W	31.5	94.5	180.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D32-96 W	32.0	96	182	32	60	WCGX06T308	M3.5X10L	T15
C32-D32.5-97.5 W	32.5	97.5	183.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D33-99 W	33.0	99	185	32	60	WCGX06T308	M3.5X10L	T15

# WC-3 倍 快速钻


# WC-3 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-100.5 W	33.5	100.5	186.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D34-102 W	34.0	102	188	32	60	WCGX06T308	M3.5X10L	T15
C32-D35-105 W	35.0	105	191	32	60	WCGX06T308	M3.5X10L	T15
C32-D36-108 W	36.0	108	194	32	60	WCGX06T308	M3.5X10L	T15
C32-D37-111 W	37.0	111	197	32	60	WCGX06T308	M3.5X10L	T15
C32-D38-114 W	38.0	114	200	32	60	WCGX06T308	M3.5X10L	T15
C32-D39-117 W	39.0	117	203	32	60	WCGX06T308	M3.5X10L	T15
C32-D40-120 W	40.0	120	206	32	60	WCGX06T308	M3.5X10L	T15
C32-D41-123 W	41.0	123	209	32	60	WCGX06T308	M3.5X10L	T15
C32-D41.5-124.5 W	41.5	124.5	210.5	32	60	WCGX06T308	M3.5X10L	T15
C40-D42-126 W	42.0	126	223	40	65	WCGX080412	M4X10L	T15
C40-D43-129 W	43.0	129	226	40	65	WCGX080412	M4X10L	T15
C40-D44-132 W	44.0	132	229	40	65	WCGX080412	M4X10L	T15
C40-D45-135 W	45.0	135	232	40	65	WCGX080412	M4X10L	T15
C40-D46-138 W	46.0	138	235	40	65	WCGX080412	M4X10L	T15
C40-D47-141 W	47.0	141	238	40	65	WCGX080412	M4X10L	T15
C40-D48-144 W	48.0	144	241	40	65	WCGX080412	M4X10L	T15
C40-D49-147 W	49.0	147	247	40	65	WCGX080412	M4X10L	T15
C40-D50-150 W	50.0	150	250	40	65	WCGX080412	M4X10L	T15
C40-D51-153 W	51.0	153	253	40	65	WCGX080412	M4X10L	T15
C40-D52-156 W	52.0	156	256	40	65	WCGX080412	M4X10L	T15
C40-D53-159 W	53.0	159	259	40	65	WCGX080412	M4X10L	T15
C40-D54-162 W	54.0	162	262	40	65	WCGX080412	M4X10L	T15
C40-D55-165 W	55.0	165	265	40	65	WCGX080412	M4X10L	T15
C40-D56-168 W	56.0	168	268	40	65	WCGX080412	M4X10L	T15
C40-D57-171 W	57.0	171	271	40	65	WCGX080412	M4X10L	T15
C40-D58-174 W	58.0	174	274	40	65	WCGX06T308	M3.5X10L	T15
C40-D59-177 W	59.0	177	277	40	65	WCGX06T308	M3.5X10L	T15
C40-D60-180 W	60.0	180	280	40	65	WCGX06T308	M3.5X10L	T15
C40-D61-183 W	61.0	183	283	40	65	WCGX06T308	M3.5X10L	T15
C40-D62-186 W	62.0	186	286	40	65	WCGX06T308	M3.5X10L	T15
C40-D63-189 W	63.0	189	289	40	65	WCGX06T308	M3.5X10L	T15
C40-D64-192 W	64.0	192	292	40	65	WCGX06T308	M3.5X10L	T15
C40-D65-195 W	65.0	195	295	40	65	WCGX06T308	M3.5X10L	T15
C40-D66-198 W	66.0	198	298	40	65	WCGX06T308	M3.5X10L	T15
C40-D67-201 W	67.0	201	301	40	65	WCGX06T308	M3.5X10L	T15
C40-D68-204 W	68.0	204	304	40	65	WCGX06T308	M3.5X10L	T15
C40-D69-207 W	69.0	207	307	40	65	WCGX06T308	M3.5X10L	T15
C40-D70-210 W	70.0	210	310	40	65	WCGX06T308	M3.5X10L	T15

# WC-4 倍 快速钻


# WC-4 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-56 W	14.0	56	134	25	56	WCGX030208	M2.5X6L	T8
C25-D14.5-58 W	14.5	58	137	25	56	WCGX030208	M2.5X6L	T8
C25-D15-60 W	15.0	60	138	25	56	WCGX030208	M2.5X6L	T8
C25-D15.5-62 W	15.5	62	140	25	56	WCGX030208	M2.5X6L	T8
C25-D16-64 W	16.0	64	142	25	56	WCGX030208	M2.5X6L	T8
C25-D16.5-66 W	16.5	66	144	25	56	WCGX030208	M2.5X6L	T8
C25-D17-68 W	17.0	68	146	25	56	WCGX030208	M2.5X6L	T8
C25-D17.5-70 W	17.5	70	148	25	56	WCGX030208	M2.5X6L	T8
C25-D18-72 W	18.0	72	150	25	56	WCGX030208	M2.5X6L	T8
C25-D18.5-74 W	18.5	74	152	25	56	WCGX030208	M2.5X6L	T8
C25-D19-76 W	19.0	76	154	25	56	WCGX030208	M2.5X6L	T8
C25-D19.5-78 W	19.5	78	156	25	56	WCGX030208	M2.5X6L	T8
C25-D20-80 W	20.0	80	158	25	56	WCGX040208	M2.5X6L	T8
C25-D20.5-82 W	20.5	82	160	25	56	WCGX040208	M2.5X6L	T8
C25-D21-84 W	21.0	84	162	25	56	WCGX040208	M2.5X6L	T8
C25-D21.5-86 W	21.5	86	164	25	56	WCGX040208	M2.5X6L	T8
C25-D22-88 W	22.0	88	166	25	56	WCGX040208	M2.5X6L	T8
C25-D22.5-90 W	22.5	90	168	25	56	WCGX040208	M2.5X6L	T8
C25-D23-92 W	23.0	92	170	25	56	WCGX040208	M2.5X6L	T8
C25-D23.5-94 W	23.5	94	172	25	56	WCGX040208	M2.5X6L	T8
C25-D24-96 W	24.0	96	174	25	56	WCGX050308	M3X7L	T8
C25-D24.5-98 W	24.5	98	176	25	56	WCGX050308	M3X7L	T8
C32-D25-100 W	25.0	100	186	32	60	WCGX050308	M3X7L	T8
C32-D25.5-102 W	25.5	102	188	32	60	WCGX050308	M3X7L	T8
C32-D26-104 W	26.0	104	190	32	60	WCGX050308	M3X7L	T8
C32-D26.5-106 W	26.5	106	192	32	60	WCGX050308	M3X7L	T8
C32-D27-108 W	27.0	108	194	32	60	WCGX050308	M3X7L	T8
C32-D27.5-110 W	27.5	110	196	32	60	WCGX050308	M3X7L	T8
C32-D28-112 W	28.0	112	198	32	60	WCGX050308	M3X7L	T8
C32-D28.5-114 W	28.5	114	200	32	60	WCGX050308	M3X7L	T8
C32-D29-116 W	29.0	116	202	32	60	WCGX050308	M3X7L	T8
C32-D29.5-118 W	29.5	118	204	32	60	WCGX050308	M3X7L	T8
C32-D30-120 W	30.0	120	206	32	60	WCGX050308	M3X7L	T8
C32-D30.5-122 W	30.5	122	208	32	60	WCGX050308	M3X7L	T8
C32-D31-124 W	31.0	124	210	32	60	WCGX06T308	M3.5X10L	T15
C32-D31.5-126 W	31.5	126	212	32	60	WCGX06T308	M3.5X10L	T15
C32-D32-128 W	32.0	128	214	32	60	WCGX06T308	M3.5X10L	T15
C32-D32.5-130 W	32.5	130	216	32	60	WCGX06T308	M3.5X10L	T15
C32-D33-132 W	33.0	132	218	32	60	WCGX06T308	M3.5X10L	T15

# WC-4 倍 快速钻


# WC-4 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-134 W	33.5	134	220	32	60	WCGX06T308	M3.5X10L	T15
C32-D34-136 W	34.0	136	222	32	60	WCGX06T308	M3.5X10L	T15
C32-D35-140 W	35.0	140	226	32	60	WCGX06T308	M3.5X10L	T15
C32-D36-144 W	36.0	144	230	32	60	WCGX06T308	M3.5X10L	T15
C32-D37-148 W	37.0	148	234	32	60	WCGX06T308	M3.5X10L	T15
C32-D38-152 W	38.0	152	238	32	60	WCGX06T308	M3.5X10L	T15
C32-D39-156 W	39.0	156	242	32	60	WCGX06T308	M3.5X10L	T15
C32-D40-160 W	40.0	160	246	32	60	WCGX06T308	M3.5X10L	T15
C32-D41-164 W	41.0	164	250	32	60	WCGX06T308	M3.5X10L	T15
C32-D41.5-166 W	41.5	166	252	32	60	WCGX06T308	M3.5X10L	T15
C40-D42-168 W	42.0	168	265	40	65	WCGX080412	M4X10L	T15
C40-D43-172 W	43.0	172	269	40	65	WCGX080412	M4X10L	T15
C40-D44-176 W	44.0	176	273	40	65	WCGX080412	M4X10L	T15
C40-D45-180 W	45.0	180	277	40	65	WCGX080412	M4X10L	T15
C40-D46-184 W	46.0	184	281	40	65	WCGX080412	M4X10L	T15
C40-D47-188 W	47.0	188	285	40	65	WCGX080412	M4X10L	T15
C40-D48-192 W	48.0	192	289	40	65	WCGX080412	M4X10L	T15
C40-D49-196 W	49.0	196	293	40	65	WCGX080412	M4X10L	T15
C40-D50-200 W	50.0	200	297	40	65	WCGX080412	M4X10L	T15
C40-D51-204 W	51.0	204	301	40	65	WCGX080412	M4X10L	T15
C40-D52-208 W	52.0	208	305	40	65	WCGX080412	M4X10L	T15
C40-D53-212 W	53.0	212	309	40	65	WCGX080412	M4X10L	T15
C40-D54-216 W	54.0	216	313	40	65	WCGX080412	M4X10L	T15
C40-D55-220 W	55.0	220	317	40	65	WCGX080412	M4X10L	T15
C40-D56-224 W	56.0	224	321	40	65	WCGX080412	M4X10L	T15
C40-D57-228 W	57.0	228	325	40	65	WCGX080412	M4X10L	T15
C40-D58-232 W	58.0	232	329	40	65	WCGX06T308	M3.5X10L	T15
C40-D59-236 W	59.0	236	333	40	65	WCGX06T308	M3.5X10L	T15
C40-D60-240 W	60.0	240	337	40	65	WCGX06T308	M3.5X10L	T15
C40-D61-244 W	61.0	244	341	40	65	WCGX06T308	M3.5X10L	T15
C40-D62-248 W	62.0	248	345	40	65	WCGX06T308	M3.5X10L	T15
C40-D63-252 W	63.0	252	349	40	65	WCGX06T308	M3.5X10L	T15
C40-D64-256 W	64.0	256	353	40	65	WCGX06T308	M3.5X10L	T15
C40-D65-260 W	65.0	260	357	40	65	WCGX06T308	M3.5X10L	T15
C40-D66-264 W	66.0	264	361	40	65	WCGX06T308	M3.5X10L	T15
C40-D67-268 W	67.0	268	365	40	65	WCGX06T308	M3.5X10L	T15
C40-D68-272 W	68.0	272	369	40	65	WCGX06T308	M3.5X10L	T15
C40-D69-276 W	69.0	276	373	40	65	WCGX06T308	M3.5X10L	T15
C40-D70-280 W	70.0	280	377	40	65	WCGX06T308	M3.5X10L	T15

# WC-5 倍快速钻


# WC-5 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-70 W	14.0	70	148	25	56	WCGX030208	M2.5X6L	T8
C25-D14.5-72.5 W	14.5	72.5	151.5	25	56	WCGX030208	M2.5X6L	T8
C25-D15-75 W	15.0	75	153	25	56	WCGX030208	M2.5X6L	T8
C25-D15.5-77.5 W	15.5	77.5	155.5	25	56	WCGX030208	M2.5X6L	T8
C25-D16-80 W	16.0	80	158	25	56	WCGX030208	M2.5X6L	T8
C25-D16.5-82.5 W	16.5	82.5	160.5	25	56	WCGX030208	M2.5X6L	T8
C25-D17-85 W	17.0	85	163	25	56	WCGX030208	M2.5X6L	T8
C25-D17.5-87.5 W	17.5	87.5	165.5	25	56	WCGX030208	M2.5X6L	T8
C25-D18-90 W	18.0	90	168	25	56	WCGX030208	M2.5X6L	T8
C25-D18.5-92.5 W	18.5	92.5	170.5	25	56	WCGX030208	M2.5X6L	T8
C25-D19-95 W	19.0	95	173	25	56	WCGX030208	M2.5X6L	T8
C25-D19.5-97.5 W	19.5	97.5	175.5	25	56	WCGX030208	M2.5X6L	T8
C25-D20-100 W	20.0	100	178	25	56	WCGX040208	M2.5X6L	T8
C25-20.5-102.5 W	20.5	102.5	180.5	25	56	WCGX040208	M2.5X6L	T8
C25-D21-105 W	21.0	105	183	25	56	WCGX040208	M2.5X6L	T8
C25-D21.5-107.5 W	21.5	107.5	185.5	25	56	WCGX040208	M2.5X6L	T8
C25-D22-110 W	22.0	110	188	25	56	WCGX040208	M2.5X6L	T8
C25-D22.5-112.5 W	22.5	112.5	190.5	25	56	WCGX040208	M2.5X6L	T8
C25-D23-115 W	23.0	115	193	25	56	WCGX040208	M2.5X6L	T8
C25-D23.5-117.5 W	23.5	117.5	195.5	25	56	WCGX040208	M2.5X6L	T8
C25-D24-120 W	24.0	120	198	25	56	WCGX050308	M3X7L	T8
C25-D24.5-122.5 W	24.5	122.5	200.5	25	56	WCGX050308	M3X7L	T8
C32-D25-125 W	25.0	125	211	32	60	WCGX050308	M3X7L	T8
C32-D25.5-127.5 W	25.5	127.5	213.5	32	60	WCGX050308	M3X7L	T8
C32-D26-130 W	26.0	130	216	32	60	WCGX050308	M3X7L	T8
C32-D26.5-132.5 W	26.5	132.5	218.5	32	60	WCGX050308	M3X7L	T8
C32-D27-135 W	27.0	135	221	32	60	WCGX050308	M3X7L	T8
C32-D27.5-137.5 W	27.5	137.5	223.5	32	60	WCGX050308	M3X7L	T8
C32-D28-140 W	28.0	140	226	32	60	WCGX050308	M3X7L	T8
C32-D28.5-142.5 W	28.5	142.5	228.5	32	60	WCGX050308	M3X7L	T8
C32-D29-145 W	29.0	145	231	32	60	WCGX050308	M3X7L	T8
C32-D29.5-147.5 W	29.5	147.5	233.5	32	60	WCGX050308	M3X7L	T8
C32-D30-150 W	30.0	150	236	32	60	WCGX050308	M3X7L	T8
C32-D30.5-152.5 W	30.5	152.5	238.5	32	60	WCGX050308	M3X7L	T8
C32-D31-155 W	31.0	155	241	32	60	WCGX06T308	M3.5X10L	T15
C32-D31.5-157.5 W	31.5	157.5	243.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D32-160 W	32.0	160	246	32	60	WCGX06T308	M3.5X10L	T15
C32-D32.5-162.5 W	32.5	162.5	248.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D33-165 W	33.0	165	251	32	60	WCGX06T308	M3.5X10L	T15

# WC-5 倍快速钻

# WC-5 Fast U-Drills




规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-167.5 W	33.5	167.5	253.5	32	60	WCGX06T308	M3.5X10L	T15
C32-D34-170 W	34.0	170	256	32	60	WCGX06T308	M3.5X10L	T15
C32-D35-175 W	35.0	175	261	32	60	WCGX06T308	M3.5X10L	T15
C32-D36-180 W	36.0	180	266	32	60	WCGX06T308	M3.5X10L	T15
C32-D37-185 W	37.0	185	271	32	60	WCGX06T308	M3.5X10L	T15
C32-D38-190 W	38.0	190	276	32	60	WCGX06T308	M3.5X10L	T15
C32-D39-195 W	39.0	195	281	32	60	WCGX06T308	M3.5X10L	T15
C32-D40-200 W	40.0	200	286	32	60	WCGX06T308	M3.5X10L	T15
C32-D41-205 W	41.0	205	291	32	60	WCGX06T308	M3.5X10L	T15
C32-D41.5-207.5 W	41.5	207.5	293.5	32	60	WCGX06T308	M3.5X10L	T15
C40-D42-210 W	42.0	210	307	40	65	WCGX080412	M4X10L	T15
C40-D43-215 W	43.0	215	312	40	65	WCGX080412	M4X10L	T15
C40-D44-220 W	44.0	220	317	40	65	WCGX080412	M4X10L	T15
C40-D45-225 W	45.0	225	322	40	65	WCGX080412	M4X10L	T15
C40-D46-230 W	46.0	230	327	40	65	WCGX080412	M4X10L	T15
C40-D47-235 W	47.0	235	332	40	65	WCGX080412	M4X10L	T15
C40-D48-240 W	48.0	240	337	40	65	WCGX080412	M4X10L	T15
C40-D49-245 W	49.0	245	342	40	65	WCGX080412	M4X10L	T15
C40-D50-250 W	50.0	250	347	40	65	WCGX080412	M4X10L	T15
C40-D51-255 W	51.0	255	352	40	65	WCGX080412	M4X10L	T15
C40-D52-260 W	52.0	260	357	40	65	WCGX080412	M4X10L	T15
C40-D53-265 W	53.0	265	362	40	65	WCGX080412	M4X10L	T15
C40-D54-270 W	54.0	270	367	40	65	WCGX080412	M4X10L	T15
C40-D55-275 W	55.0	275	372	40	65	WCGX080412	M4X10L	T15
C40-D56-280 W	56.0	280	377	40	65	WCGX080412	M4X10L	T15
C40-D57-285 W	57.0	285	382	40	65	WCGX080412	M4X10L	T15
C40-D58-290 W	58.0	290	387	40	65	WCGX06T308	M3.5X10L	T15
C40-D59-295 W	59.0	295	392	40	65	WCGX06T308	M3.5X10L	T15
C40-D60-300 W	60.0	300	397	40	65	WCGX06T308	M3.5X10L	T15
C40-D61-305 W	61.0	305	402	40	65	WCGX06T308	M3.5X10L	T15
C40-D62-310 W	62.0	310	407	40	65	WCGX06T308	M3.5X10L	T15
C40-D63-315 W	63.0	315	412	40	65	WCGX06T308	M3.5X10L	T15
C40-D64-320 W	64.0	320	417	40	65	WCGX06T308	M3.5X10L	T15
C40-D65-325 W	65.0	325	422	40	65	WCGX06T308	M3.5X10L	T15
C40-D66-330 W	66.0	330	427	40	65	WCGX06T308	M3.5X10L	T15
C40-D67-335 W	67.0	335	432	40	65	WCGX06T308	M3.5X10L	T15
C40-D68-340 W	68.0	340	437	40	65	WCGX06T308	M3.5X10L	T15
C40-D69-345 W	69.0	345	442	40	65	WCGX06T308	M3.5X10L	T15
C40-D70-350 W	70.0	350	447	40	65	WCGX06T308	M3.5X10L	T15



# SP-2 倍 快速钻


# SP-2 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-28 S	14.0	28	106	25	56	SPMG050204	M2.2x5L	T8
C25-D14.5-29 S	14.5	29	108	25	56	SPMG050204	M2.2x5L	T8
C25-D15-30 S	15.0	30	108	25	56	SPMG050204	M2.2x5L	T8
C25-D15.5-31 S	15.5	31.0	109	25	56	SPMG050204	M2.2x5L	T8
C25-D16-32 S	16.0	32	110	25	56	SPMG050204	M2.2x5L	T8
C25-D16.5-33 S	16.5	33	111	25	56	SPMG050204	M2.2x5L	T8
C25-D17-34 S	17.0	34	112	25	56	SPMG050204	M2.2x5L	T8
C25-D17.5-35 S	17.5	35	113	25	56	SPMG050204	M2.2x5L	T8
C25-D18-36 S	18.0	36	114	25	56	SPMG050204	M2.2x5L	T8
C25-D18.5-37 S	18.5	37	115	25	56	SPMG050204	M2.2x5L	T8
C25-D19-38 S	19.0	38	116	25	56	SPMG060204	M2.5X6L	T8
C25-D19.5-39 S	19.5	39	117	25	56	SPMG060204	M2.5X6L	T8
C25-D20-40 S	20.0	40	118	25	56	SPMG060204	M2.5X6L	T8
C25-20.5-41 S	20.5	41	119	25	56	SPMG060204	M2.5X6L	T8
C25-D21-42 S	21.0	42	120	25	56	SPMG060204	M2.5X6L	T8
C25-D21.5-43 S	21.5	43	121	25	56	SPMG060204	M2.5X6L	T8
C25-D22-44 S	22.0	44	122	25	56	SPMG060204	M2.5X6L	T8
C25-D22.5-45 S	22.5	45	123	25	56	SPMG060204	M2.5X6L	T8
C25-D23-46 S	23.0	46	124	25	56	SPMG07T308	M2.5X7L	T8
C25-D23.5-47 S	23.5	47	125	25	56	SPMG07T308	M2.5X7L	T8
C25-D24-48 S	24.0	48	126	25	56	SPMG07T308	M2.5X7L	T8
C25-D24.5-49 S	24.5	49	127	25	56	SPMG07T308	M2.5X7L	T8
C32-D25-50 S	25.0	50	136	32	60	SPMG07T308	M2.5X7L	T8
C32-D25.5-51 S	25.5	51	137	32	60	SPMG07T308	M2.5X7L	T8
C32-D26-52 S	26.0	52	138	32	60	SPMG07T308	M2.5X7L	T8
C32-D26.5-53 S	26.5	53	139	32	60	SPMG07T308	M2.5X7L	T8
C32-D27-54 S	27.0	54	140	32	60	SPMG07T308	M2.5X7L	T8
C32-D27.5-55 S	27.5	55	141	32	60	SPMG07T308	M2.5X7L	T8
C32-D28-56 S	28.0	56	142	32	60	SPMG07T308	M2.5X7L	T8
C32-D28.5-57 S	28.5	57	143	32	60	SPMG07T308	M2.5X7L	T8
C32-D29-58 S	29.0	58	144	32	60	SPMG090408	M3.5X10L	T15
C32-D29.5-59 S	29.5	59	145	32	60	SPMG090408	M3.5X10L	T15
C32-D30-60 S	30.0	60	146	32	65	SPMG090408	M3.5X10L	T15
C32-D30.5-61 S	30.5	61	147	32	65	SPMG090408	M3.5X10L	T15
C32-D31-62 S	31.0	62	148	32	65	SPMG090408	M3.5X10L	T15
C32-D31.5-63 S	31.5	63	149	32	65	SPMG090408	M3.5X10L	T15
C32-D32-64 S	32.0	64	150	32	65	SPMG090408	M3.5X10L	T15
C32-D32.5-65 S	32.5	65	151	32	65	SPMG090408	M3.5X10L	T15
C32-D33-66 S	33.0	66	152	32	65	SPMG090408	M3.5X10L	T15

# SP-2 倍 快速钻


# SP-2 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-67 S	33.5	67	153	32	65	SPMG090408	M3.5X10L	T15
C32-D34-68 S	34.0	68	154	32	65	SPMG090408	M3.5X10L	T15
C32-D35-70 S	35.0	70	156	32	65	SPMG090408	M3.5X10L	T15
C32-D36-72 S	36.0	72	158	32	60	SPMG090408	M3.5X10L	T15
C32-D36.5-73 S	36.5	73	159	32	60	SPMG090408	M3.5X10L	T15
C32-D37-74 S	37.0	74	160	32	60	SPMG110408	M4X10L	T15
C32-D38-76 S	38.0	76	162	32	60	SPMG110408	M4X10L	T15
C32-D39-78 S	39.0	78	164	32	60	SPMG110408	M4X10L	T15
C32-D40-80 S	40.0	80	166	32	60	SPMG110408	M4X10L	T15
C32-D41-82 S	41.0	82	168	32	60	SPMG110408	M4X10L	T15
C40-D42-84 S	42.0	84	181	40	65	SPMG110408	M4X10L	T15
C40-D43-86 S	43.0	86	183	40	65	SPMG140512	M5X12L	T20
C40-D44-88 S	44.0	88	185	40	65	SPMG140512	M5X12L	T20
C40-D45-90 S	45.0	90	187	40	65	SPMG140512	M5X12L	T20
C40-D46-92 S	46.0	92	189	40	65	SPMG140512	M5X12L	T20
C40-D47-94 S	47.0	94	191	40	65	SPMG140512	M5X12L	T20
C40-D48-96 S	48.0	96	193	40	65	SPMG140512	M5X12L	T20
C40-D49-98 S	49.0	98	195	40	65	SPMG140512	M5X12L	T20
C40-D50-100 S	50.0	100	196	40	65	SPMG140512	M5X12L	T20
C40-D51-102 S	51.0	102	199	40	65	SPMG07T308	M2.5X7L	T8
C40-D52-104 S	52.0	104	203	40	65	SPMG07T308	M2.5X7L	T8
C40-D53-106 S	53.0	106	205	40	65	SPMG07T308	M2.5X7L	T8
C40-D54-108 S	54.0	108	207	40	65	SPMG07T308	M2.5X7L	T8
C40-D55-110 S	55.0	110	209	40	65	SPMG07T308	M2.5X7L	T8
C40-D56-112 S	56.0	112	211	40	65	SPMG07T308	M2.5X7L	T8
C40-D57-114 S	57.0	114	213	40	65	SPMG090408	M3.5X10L	T15
C40-D58-116 S	58.0	116	215	40	65	SPMG090408	M3.5X10L	T15
C40-D59-118 S	59.0	118	217	40	65	SPMG090408	M3.5X10L	T15
C40-D60-120 S	60.0	120	219	40	65	SPMG090408	M3.5X10L	T15
C40-D61-122 S	61.0	122	221	40	65	SPMG090408	M3.5X10L	T15
C40-D62-124 S	62.0	124	223	40	65	SPMG090408	M3.5X10L	T15
C40-D63-126 S	63.0	126	227	40	65	SPMG090408	M3.5X10L	T15
C40-D64-128 S	64.0	128	233	40	65	SPMG090408	M3.5X10L	T15
C40-D65-130 S	65.0	130	233	40	65	SPMG090408	M3.5X10L	T15
C40-D66-132 S	66.0	132	235	40	65	SPMG090408	M3.5X10L	T15
C40-D67-134 S	67.0	134	237	40	65	SPMG110408	M4X10L	T15
C40-D68-136 S	68.0	136	239	40	65	SPMG110408	M4X10L	T15
C40-D69-138 S	69.0	138	241	40	65	SPMG110408	M4X10L	T15
C40-D70-140 S	70.0	140	243	40	65	SPMG110408	M4X10L	T15

## SP-3 倍快速钻


## SP-3 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-42 S	14.0	42	120	25	56	SPMG050204	M2.2x5L	T8
C25-D14.5-43.5 S	14.5	43.5	122.5	25	56	SPMG050204	M2.2x5L	T8
C25-D15-45 S	15.0	45	123	25	56	SPMG050204	M2.2x5L	T8
C25-D15.5-46.5 S	15.5	46.5	124.5	25	56	SPMG050204	M2.2x5L	T8
C25-D16-48 S	16.0	48	126	25	56	SPMG050204	M2.2x5L	T8
C25-D16.5-49.5 S	16.5	49.5	127.5	25	56	SPMG050204	M2.2x5L	T8
C25-D17-51 S	17.0	51	129	25	56	SPMG050204	M2.2x5L	T8
C25-D17.5-52.5 S	17.5	52.5	130.5	25	56	SPMG050204	M2.2x5L	T8
C25-D18-54 S	18.0	54	132	25	56	SPMG050204	M2.2x5L	T8
C25-D18.5-55.5 S	18.5	55.5	133.5	25	56	SPMG050204	M2.2x5L	T8
C25-D19-57 S	19.0	57	135	25	56	SPMG060204	M2.5X6L	T8
C25-D19.5-58.5 S	19.5	58.5	136.5	25	56	SPMG060204	M2.5X6L	T8
C25-D20-60 S	20.0	60	138	25	56	SPMG060204	M2.5X6L	T8
C25-D20.5-61.5 S	20.5	61.5	139.5	25	56	SPMG060204	M2.5X6L	T8
C25-D21-63 S	21.0	63	141	25	56	SPMG060204	M2.5X6L	T8
C25-D21.5-64.5 S	21.5	64.5	142.5	25	56	SPMG060204	M2.5X6L	T8
C25-D22-66 S	22.0	66	144	25	56	SPMG060204	M2.5X6L	T8
C25-D22.5-67.5 S	22.5	67.5	145.5	25	56	SPMG060204	M2.5X6L	T8
C25-D23-69 S	23.0	69	147	25	56	SPMG07T308	M2.5X7L	T8
C25-D23.5-70.5 S	23.5	70.5	148.5	25	56	SPMG07T308	M2.5X7L	T8
C25-D24-72 S	24.0	72	150	25	56	SPMG07T308	M2.5X7L	T8
C25-D24.5-73.5 S	24.5	73.5	151.5	25	56	SPMG07T308	M2.5X7L	T8
C32-D25-75 S	25.0	75	161	32	60	SPMG07T308	M2.5X7L	T8
C32-D25.5-76.5 S	25.5	76.5	162.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D26-78 S	26.0	78	164	32	60	SPMG07T308	M2.5X7L	T8
C32-D26.5-79.5 S	26.5	79.5	165.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D27-81 S	27.0	81	167	32	60	SPMG07T308	M2.5X7L	T8
C32-D27.5-82.5 S	27.5	82.5	168.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D28-84 S	28.0	84	170	32	60	SPMG07T308	M2.5X7L	T8
C32-D28.5-85.5 S	28.5	85.5	171.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D29-87 S	29.0	87	173	32	60	SPMG090408	M3.5X10L	T15
C32-D29.5-88.5 S	29.5	88.5	174.5	32	60	SPMG090408	M3.5X10L	T15
C32-D30-90 S	30.0	90	176	32	60	SPMG090408	M3.5X10L	T15
C32-D30.5-91.5 S	30.5	91.5	177.5	32	60	SPMG090408	M3.5X10L	T15
C32-D31-93 S	31.0	93	179	32	60	SPMG090408	M3.5X10L	T15
C32-D31.5-94.5 S	31.5	94.5	180.5	32	60	SPMG090408	M3.5X10L	T15
C32-D32-96 S	32.0	96	182	32	60	SPMG090408	M3.5X10L	T15
C32-D32.5-97.5 S	32.5	97.5	183.5	32	60	SPMG090408	M3.5X10L	T15
C32-D33-99 S	33.0	99	185	32	60	SPMG090408	M3.5X10L	T15

## SP-3 倍快速钻


## SP-3 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-100.5 S	33.5	100.5	186.5	32	60	SPMG090408	M3.5X10L	T15
C32-D34-102 S	34.0	102	188	32	60	SPMG090408	M3.5X10L	T15
C32-D35-105 S	35.0	105	191	32	60	SPMG090408	M3.5X10L	T15
C32-D36-108 S	36.0	108	194	32	60	SPMG090408	M3.5X10L	T15
C32-D36.5-109.5 S	36.5	109.5	195.5	32	60	SPMG090408	M3.5X10L	T15
C32-D37-111 S	37.0	111	197	32	60	SPMG110408	M4X10L	T15
C32-D38-114 S	38.0	114	200	32	60	SPMG110408	M4X10L	T15
C32-D39-117 S	39.0	117	203	32	60	SPMG110408	M4X10L	T15
C32-D40-120 S	40.0	120	206	32	60	SPMG110408	M4X10L	T15
C32-D41-123S	41.0	123	209	32	60	SPMG110408	M4X10L	T15
C32-D42-126 S	42.0	126	223	40	65	SPMG110408	M4X10L	T15
C40-D43-129 S	43.0	129	226	40	65	SPMG140512	M5X12L	T20
C40-D44-132 S	44.0	132	229	40	65	SPMG140512	M5X12L	T20
C40-D45-135 S	45.0	135	232	40	65	SPMG140512	M5X12L	T20
C40-D46-138 S	46.0	138	235	40	65	SPMG140512	M5X12L	T20
C40-D47-141 S	47.0	141	238	40	65	SPMG140512	M5X12L	T20
C40-D48-144 S	48.0	144	241	40	65	SPMG140512	M5X12L	T20
C40-D49-147 S	49.0	147	244	40	65	SPMG140512	M5X12L	T20
C40-D50-150 S	50.0	150	246	40	65	SPMG140512	M5X12L	T20
C40-D51-153 S	51.0	153	250	40	65	SPMG07T308	M2.5X7L	T8
C40-D52-156 S	52.0	156	255	40	65	SPMG07T308	M2.5X7L	T8
C40-D53-159 S	53.0	159	258	40	65	SPMG07T308	M2.5X7L	T8
C40-D54-162 S	54.0	162	261	40	65	SPMG07T308	M2.5X7L	T8
C40-D55-165 S	55.0	165	264	40	65	SPMG07T308	M2.5X7L	T8
C40-D56-168 S	56.0	168	267	40	65	SPMG07T308	M2.5X7L	T8
C40-D57-171 S	57.0	171	270	40	65	SPMG090408	M3.5X10L	T15
C40-D58-174 S	58.0	174	273	40	65	SPMG090408	M3.5X10L	T15
C40-D59-177 S	59.0	177	276	40	65	SPMG090408	M3.5X10L	T15
C40-D60-180 S	60.0	180	279	40	65	SPMG090408	M3.5X10L	T15
C40-D61-183 S	61.0	183	282	40	65	SPMG090408	M3.5X10L	T15
C40-D62-186 S	62.0	186	285	40	65	SPMG090408	M3.5X10L	T15
C40-D63-189 S	63.0	189	290	40	65	SPMG090408	M3.5X10L	T15
C40-D64-192 S	64.0	192	247	40	65	SPMG090408	M3.5X10L	T15
C40-D65-195 S	65.0	195	298	40	65	SPMG090408	M3.5X10L	T15
C40-D66-198 S	66.0	198	301	40	65	SPMG090408	M3.5X10L	T15
C40-D67-201 S	67.0	201	304	40	65	SPMG110408	M4X10L	T15
C40-D68-204 S	68.0	204	307	40	65	SPMG110408	M4X10L	T15
C40-D69-207 S	69.0	207	310	40	65	SPMG110408	M4X10L	T15
C40-D70-210 S	70.0	210	313	40	65	SPMG110408	M4X10L	T15

# SP-4 倍快速钻


# SP-4 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-56 S	14.0	56	134	25	56	SPMG050204	M2.2x5L	T8
C25-D14.5-58 S	14.5	58	137	25	56	SPMG050204	M2.2x5L	T8
C25-D15-60 S	15.0	60	138	25	56	SPMG050204	M2.2x5L	T8
C25-D15.5-62 S	15.5	62	140	25	56	SPMG050204	M2.2x5L	T8
C25-D16-64 S	16.0	64	142	25	56	SPMG050204	M2.2x5L	T8
C25-D16.5-66 S	16.5	66	144	25	56	SPMG050204	M2.2x5L	T8
C25-D17-68 S	17.0	68	146	25	56	SPMG050204	M2.2x5L	T8
C25-D17.5-70 S	17.5	70	148	25	56	SPMG050204	M2.2x5L	T8
C25-D18-72 S	18.0	72	150	25	56	SPMG050204	M2.2x5L	T8
C25-D18.5-74 S	18.5	74	152	25	56	SPMG050204	M2.2x5L	T8
C25-D19-76 S	19.0	76	154	25	56	SPMG060204	M2.5X6L	T8
C25-D19.5-78 S	19.5	78	156	25	56	SPMG060204	M2.5X6L	T8
C25-D20-80 S	20.0	80	158	25	56	SPMG060204	M2.5X6L	T8
C25-D20.5-82 S	20.5	82	160	25	56	SPMG060204	M2.5X6L	T8
C25-D21-84 S	21.0	84	162	25	56	SPMG060204	M2.5X6L	T8
C25-D21.5-86 S	21.5	86	164	25	56	SPMG060204	M2.5X6L	T8
C25-D22-88 S	22.0	88	166	25	56	SPMG060204	M2.5X6L	T8
C25-D22.5-90 S	22.5	90	168	25	56	SPMG060204	M2.5X6L	T8
C25-D23-92 S	23.0	92	170	25	56	SPMG07T308	M2.5X7L	T8
C25-D23.5-94 S	23.5	94	172	25	56	SPMG07T308	M2.5X7L	T8
C25-D24-96 S	24.0	96	174	25	56	SPMG07T308	M2.5X7L	T8
C25-D24.5-98 S	24.5	98	176	25	56	SPMG07T308	M2.5X7L	T8
C32-D25-100 S	25.0	100	186	32	60	SPMG07T308	M2.5X7L	T8
C32-D25.5-102 S	25.5	102	188	32	60	SPMG07T308	M2.5X7L	T8
C32-D26-104 S	26.0	104	190	32	60	SPMG07T308	M2.5X7L	T8
C32-D26.5-106 S	26.5	106	192	32	60	SPMG07T308	M2.5X7L	T8
C32-D27-108 S	27.0	108	194	32	60	SPMG07T308	M2.5X7L	T8
C32-D27.5-110 S	27.5	110	196	32	60	SPMG07T308	M2.5X7L	T8
C32-D28-112 S	28.0	112	198	32	60	SPMG07T308	M2.5X7L	T8
C32-D28.5-114 S	28.5	114	200	32	60	SPMG07T308	M2.5X7L	T8
C32-D29-116 S	29.0	116	202	32	60	SPMG090408	M3.5X10L	T15
C32-D29.5-118 S	29.5	118	204	32	60	SPMG090408	M3.5X10L	T15
C32-D30-120 S	30.0	120	206	32	60	SPMG090408	M3.5X10L	T15
C32-D30.5-122 S	30.5	122	208	32	60	SPMG090408	M3.5X10L	T15
C32-D31-124 S	31.0	124	210	32	60	SPMG090408	M3.5X10L	T15
C32-D31.5-126 S	31.5	126	212	32	60	SPMG090408	M3.5X10L	T15
C32-D32-128 S	32.0	128	214	32	60	SPMG090408	M3.5X10L	T15
C32-D32.5-130 S	32.5	130	216	32	60	SPMG090408	M3.5X10L	T15
C32-D33-132S	33.0	132	218	32	60	SPMG090408	M3.5X10L	T15

# SP-4 倍快速钻


# SP-4 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-33.5-134 S	33.5	134	220	32	60	SPMG090408	M3.5X10L	T15
C32-D34-136 S	34.0	136	222	32	60	SPMG090408	M3.5X10L	T15
C32-D35-140 S	35.0	140	226	32	60	SPMG090408	M3.5X10L	T15
C32-D36-144 S	36.0	144	230	32	60	SPMG090408	M3.5X10L	T15
C32-D36.5-146 S	36.5	146	232	32	60	SPMG090408	M3.5X10L	T15
C32-D37-148 S	37.0	148	234	32	60	SPMG110408	M4X10L	T15
C32-D38-152 S	38.0	152	238	32	60	SPMG110408	M4X10L	T15
C32-D39-156 S	39.0	156	242	32	60	SPMG110408	M4X10L	T15
C32-D40-160 S	40.0	160	246	32	60	SPMG110408	M4X10L	T15
C32-D41-164 S	41.0	164	250	32	60	SPMG110408	M4X10L	T15
C40-D42-168 S	42.0	168	265	40	65	SPMG110408	M4X10L	T15
C40-D43-172 S	43.0	172	269	40	65	SPMG140512	M5X12L	T20
C40-D44-176 S	44.0	176	273	40	65	SPMG140512	M5X12L	T20
C40-D45-180 S	45.0	180	277	40	65	SPMG140512	M5X12L	T20
C40-D46-184 S	46.0	184	281	40	65	SPMG140512	M5X12L	T20
C40-D47-188 S	47.0	188	285	40	65	SPMG140512	M5X12L	T20
C40-D48-192 S	48.0	192	289	40	65	SPMG140512	M5X12L	T20
C40-D49-196 S	49.0	196	293	40	65	SPMG140512	M5X12L	T20
C40-D50-200 S	50.0	200	297	40	65	SPMG140512	M5X12L	T20
C40-D51-204 S	51.0	204	301	40	65	SPMG07T308	M2.5X7L	T8
C40-D52-208 S	52.0	208	307	40	65	SPMG07T308	M2.5X7L	T8
C40-D53-212 S	53.0	212	311	40	65	SPMG07T308	M2.5X7L	T8
C40-D54-216 S	54.0	216	315	40	65	SPMG07T308	M2.5X7L	T8
C40-D55-220 S	55.0	220	319	40	65	SPMG07T308	M2.5X7L	T8
C40-D56-224 S	56.0	224	323	40	65	SPMG07T308	M2.5X7L	T8
C40-D57-228 S	57.0	228	327	40	65	SPMG090408	M3.5X10L	T15
C40-D58-232 S	58.0	232	331	40	65	SPMG090408	M3.5X10L	T15
C40-D59-236 S	59.0	236	335	40	65	SPMG090408	M3.5X10L	T15
C40-D60-240 S	60.0	240	339	40	65	SPMG090408	M3.5X10L	T15
C40-D61-244 S	61.0	244	343	40	65	SPMG090408	M3.5X10L	T15
C40-D62-248 S	62.0	248	347	40	65	SPMG090408	M3.5X10L	T15
C40-D63-252 S	63.0	252	353	40	65	SPMG090408	M3.5X10L	T15
C40-D64-256 S	64.0	256	361	40	65	SPMG090408	M3.5X10L	T15
C40-D65-260 S	65.0	260	363	40	65	SPMG090408	M3.5X10L	T15
C40-D66-264 S	66.0	264	367	40	65	SPMG090408	M3.5X10L	T15
C40-D67-268 S	67.0	268	371	40	65	SPMG110408	M4X10L	T15
C40-D68-272 S	68.0	272	375	40	65	SPMG110408	M4X10L	T15
C40-D69-276 S	69.0	276	379	40	65	SPMG110408	M4X10L	T15
C40-D70-280 S	70.0	280	383	40	65	SPMG110408	M4X10L	T15

## SP-5 倍 快速钻


## SP-5 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C25-D14-70 S	14.0	70	148	25	56	SPMG050204	M2.2x5L	T8
C25-D14.5-72.5 S	14.5	72.5	151.5	25	56	SPMG050204	M2.2x5L	T8
C25-D15-75 S	15.0	75	153	25	56	SPMG050204	M2.2x5L	T8
C25-D15.5-77.5 S	15.5	77.5	155.5	25	56	SPMG050204	M2.2x5L	T8
C25-D16-80 S	16.0	80	158	25	56	SPMG050204	M2.2x5L	T8
C25-D16.5-82.5 S	16.5	82.5	160.5	25	56	SPMG050204	M2.2x5L	T8
C25-D17-85 S	17.0	85	163	25	56	SPMG050204	M2.2x5L	T8
C25-D17.5-87.5 S	17.5	87.5	165.5	25	56	SPMG050204	M2.2x5L	T8
C25-D18-90 S	18.0	90	168	25	56	SPMG050204	M2.2x5L	T8
C25-D18.5-92.5 S	18.5	92.5	170.5	25	56	SPMG050204	M2.2x5L	T8
C25-D19-95 S	19.0	95	173	25	56	SPMG060204	M2.5X6L	T8
C25-D19.5-97.5 S	19.5	97.5	175.5	25	56	SPMG060204	M2.5X6L	T8
C25-D20-100 S	20.0	100	178	25	56	SPMG060204	M2.5X6L	T8
C25-20.5-102.5 S	20.5	102.5	180.5	25	56	SPMG060204	M2.5X6L	T8
C25-D21-105 S	21.0	105	183	25	56	SPMG060204	M2.5X6L	T8
C25-D21.5-107.5 S	21.5	107.5	185.5	25	56	SPMG060204	M2.5X6L	T8
C25-D22-110 S	22.0	110	188	25	56	SPMG060204	M2.5X6L	T8
C25-D22.5-112.5 S	22.5	112.5	190.5	25	56	SPMG060204	M2.5X6L	T8
C25-D23-115 S	23.0	115	193	25	56	SPMG07T308	M2.5X7L	T8
C25-D23.5-117.5 S	23.5	117.5	195.5	25	56	SPMG07T308	M2.5X7L	T8
C25-D24-120 S	24.0	120	198	25	56	SPMG07T308	M2.5X7L	T8
C25-D24.5-122.5 S	24.5	122.5	200.5	25	56	SPMG07T308	M2.5X7L	T8
C32-D25-125 S	25.0	125	211	32	60	SPMG07T308	M2.5X7L	T8
C32-D25.5-127.5 S	25.5	127.5	213.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D26-130 S	26.0	130	216	32	60	SPMG07T308	M2.5X7L	T8
C32-D26.5-132.5 S	26.5	132.5	218.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D27-135 S	27.0	135	221	32	60	SPMG07T308	M2.5X7L	T8
C32-D27.5-137.5 S	27.5	137.5	223.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D28-140 S	28.0	140	226	32	60	SPMG07T308	M2.5X7L	T8
C32-D28.5-142.5 S	28.5	142.5	228.5	32	60	SPMG07T308	M2.5X7L	T8
C32-D29-145 S	29.0	145	231	32	60	SPMG090408	M3.5X10L	T15
C32-D29.5-147.5 S	29.5	147.5	233.5	32	60	SPMG090408	M3.5X10L	T15
C32-D30-150 S	30.0	150	236	32	60	SPMG090408	M3.5X10L	T15
C32-D30.5-152.5 S	30.5	152.5	238.5	32	60	SPMG090408	M3.5X10L	T15
C32-D31-155 S	31.0	155	241	32	60	SPMG090408	M3.5X10L	T15
C32-D31.5-157.5 S	31.5	157.5	243.5	32	60	SPMG090408	M3.5X10L	T15
C32-D32-160 S	32.0	160	246	32	60	SPMG090408	M3.5X10L	T15
C32-D32.5-162.5 S	32.5	162.5	248.5	32	60	SPMG090408	M3.5X10L	T15
C32-D33-165 S	33.0	165	251	32	60	SPMG090408	M3.5X10L	T15

## SP-5 倍 快速钻

## SP-5 Fast U-Drills



规格型号 Model Number	外形尺寸 (Dimensions and shape)					适用刀片 Insert	螺丝 Screw	扳手 Wrench
	刃径 D	刃长 L1	总长 L	柄径 D1	柄长 L2			
C32-D33.5-167.5 S	33.5	167.5	253.5	32	60	SPMG090408	M3.5X10L	T15
C32-D34-170 S	34.0	170	256	32	60	SPMG090408	M3.5X10L	T15
C32-D35-175 S	35.0	175	261	32	60	SPMG090408	M3.5X10L	T15
C32-D36-180 S	36.0	180	266	32	60	SPMG090408	M3.5X10L	T15
C32-D36.5-182.5 S	36.5	182.5	268.5	32	60	SPMG090408	M3.5X10L	T15
C32-D37-185 S	37.0	185	270	32	60	SPMG110408	M4X10L	T15
C32-D38-190 S	38.0	190	275	32	60	SPMG110408	M4X10L	T15
C32-D39-195 S	39.0	195	280	32	60	SPMG110408	M4X10L	T15
C32-D40-200 S	40.0	200	285	32	60	SPMG110408	M4X10L	T15
C32-D41-205 S	41.0	205	290	32	60	SPMG110408	M4X10L	T15
C40-D42-210 S	42.0	210	307	40	65	SPMG110408	M4X10L	T15
C40-D43-215 S	43.0	215	312	40	65	SPMG140512	M5X12L	T20
C40-D44-220 S	44.0	220	317	40	65	SPMG140512	M5X12L	T20
C40-D45-225 S	45.0	225	322	40	65	SPMG140512	M5X12L	T20
C40-D46-230 S	46.0	230	332	40	65	SPMG140512	M5X12L	T20
C40-D47-235 S	47.0	235	337	40	65	SPMG140512	M5X12L	T20
C40-D48-240 S	48.0	240	342	40	65	SPMG140512	M5X12L	T20
C40-D49-245 S	49.0	245	347	40	65	SPMG140512	M5X12L	T20
C40-D50-250 S	50.0	250	352	40	65	SPMG140512	M5X12L	T20
C40-D51-255 S	51.0	255	357	40	65	SPMG07T308	M2.5X7L	T8
C40-D52-260 S	52.0	260	362	40	65	SPMG07T308	M2.5X7L	T8
C40-D53-265 S	53.0	265	367	40	65	SPMG07T308	M2.5X7L	T8
C40-D54-270 S	54.0	270	372	40	65	SPMG07T308	M2.5X7L	T8
C40-D55-275 S	55.0	275	377	40	65	SPMG07T308	M2.5X7L	T8
C40-D56-280 S	56.0	280	382	40	65	SPMG07T308	M2.5X7L	T8
C40-D57-285 S	57.0	285	387	40	65	SPMG090408	M3.5X10L	T15
C40-D58-290 S	58.0	290	392	40	65	SPMG090408	M3.5X10L	T15
C40-D59-295 S	59.0	295	397	40	65	SPMG090408	M3.5X10L	T15
C40-D60-300 S	60.0	300	402	40	65	SPMG090408	M3.5X10L	T15
C40-D61-305 S	61.0	305	407	40	65	SPMG090408	M3.5X10L	T15
C40-D62-310 S	62.0	310	412	40	65	SPMG090408	M3.5X10L	T15
C40-D63-315 S	63.0	315	417	40	65	SPMG090408	M3.5X10L	T15
C40-D64-320 S	64.0	320	422	40	65	SPMG090408	M3.5X10L	T15
C40-D65-325 S	65.0	325	427	40	65	SPMG090408	M3.5X10L	T15
C40-D66-330 S	66.0	330	432	40	65	SPMG090408	M3.5X10L	T15
C40-D67-335 S	67.0	335	437	40	65	SPMG110408	M4X10L	T15
C40-D68-340 S	68.0	340	442	40	65	SPMG110408	M4X10L	T15
C40-D69-345 S	69.0	345	447	40	65	SPMG110408	M4X10L	T15
C40-D70-350 S	70.0	350	452	40	65	SPMG110408	M4X10L	T15